


EX200 Dumps

EX200 Red Hat Certified System Administrator (RHCSA) Exam

https://www.certleader.com/EX200-dumps.html





NEW QUESTION 1

Configure the FTP service in your system, allow remote access to anonymous login and download the program by this service. Service is still running after system rebooting.

A. Mastered

B. Not Mastered

Answer: A

Explanation:

yum install vsftpd /etc/init.d/vsftpd start chkconfig vsftpd on

NEW QUESTION 2

Configure the verification mode of your host account and the password as LDAP. And it can login successfully through Idapuser40. The password is set as "password".

And the certificate can be downloaded from http://ip/dir/ldap.crt. After the user logs on the user has no host directory unless you configure the autofs in the following questions.

A. Mastered

B. Not Mastered

Answer: A

Explanation:

system-config-authentication

LDAP Server: Idap//instructor.example.com (In domain form, not write IP)

OR

yum groupinstall directory-client (1.krb5-workstation 2.pam-krb5 3.sssd)

system-config-authentication

- 1.User Account Database: LDAP
- 2. LDAP Search Base DN: dc=example,dc=com
- 3. LDAP Server: Idap://instructor.example.com (In domain form, not write IP)
- 4. Download CA Certificate
- 5. Authentication Method: LDAP password
- 6. Apply

getent passwd ldapuser40

NEW QUESTION 3

We are working on /data initially the size is 2GB. The /dev/test0/lvtestvolume is mount on /data. Now you required more space on /data but you already added all disks belong to physical volume. You saw that you have unallocated space around 5 GB on your harddisk. Increase the size of lvtestvolume by 5GB.

A. Mastered

B. Not Mastered

Answer: A

Explanation:

see explanation below.

Create a partition having size 5 GB and change the syste id '8e'.

use partprobe command

pvcreate /dev/hda9 Suppose your partition number is hda9.

vgextend test0 /dev/hda9 vgextend command add the physical disk on volume group.

lvextend -L+5120M /dev/test0/lvtestvolume

verify using lvdisplay /dev/test0/lvtestvolume.

NEW QUESTION 4

Configure autofs to make sure after login successfully, it has the home directory autofs, which is shared as /rhome/ldapuser40 at the ip: 172.24.40.10. and it also requires that, other ldap users can use the home directory normally.

A. Mastered

B. Not Mastered

Answer: A

Explanation:

chkconfig autofs on

cd /etc/

vim /etc/auto.master

/rhome /etc/auto.ldap

cp auto.misc auto.ldap

vim auto.ladp

ldapuser40 -rw,soft,intr 172.24.40.10:/rhome/ldapuser40



* -rw,soft,intr 172.16.40.10:/rhome/&

service autofs stop

server autofs start

showmount -e 172.24.40.10

su - ladpuser40

NEW QUESTION 5

A YUM repository has been provided at http://server.domain11.example.com/pub/x86_64/Server. Configure your system to use this location as a default repository.

A. Mastered

B. Not Mastered

Answer: A

Explanation:

vim/etc/yum.repos/base.repo

[base]

name=base

baseurl= http://server.domain11.example.com/pub/x86_64/Server

gpgcheck=0

enable=1

Save and Exit

Use yum list for validation, the configuration is correct if list the package information. If the Yum configuration is not correct then maybe cannot answer the following questions.

NEW QUESTION 6

Create a backup file named /root/backup.tar.bz2, which contains the contents of /usr/local, bar must use the bzip2 compression.

A. Mastered

B. Not Mastered

Answer: A

Explanation:

cd /usr/local

tar -jcvf /root/backup.tar.bz2*

mkdir /test

tar -jxvf /root/backup.tar.bz2 -C /test/

NEW QUESTION 7

Configure a default software repository for your system.

One YUM has already provided to configure your system on http://server.domain11.example.com/pub/ x86_64/Server, and can be used normally.

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Yum-config-manager

--add-repo=http://content.example.com/rhel7.0/x86-64/dvd" is to generate a file vim content.example.com_rhel7.0_x86_64_dvd.repo, Add a line gpgcheck=0

Yumcleanall

Yumrepolist

Almost 4305 packages are right, Wrong Yum Configuration will lead to some following questions cannot be worked out.

NEW QUESTION 8

Find all lines in the file /usr/share/dict/words that contain the string seismic. Put a copy of all these lines in their original order in the file /root/wordlist. /root/wordlist should contain no empty lines and all lines must be exact copies of the original lines in /usr/share/dict/words.

A. Mastered

B. Not Mastered

Answer: A

Explanation:

grep seismic /usr/share/dict/words> /root/wordlist

NEW QUESTION 9

Configure a HTTP server, which can be accessed through http://station.domain40.example.com.

Please download the released page from http://ip/dir/example.html.

A. Mastered

B. Not Mastered

Answer: A



Explanation:

yum install -y httpd

chkconfig httpd on

cd /var/www/html

wget http://ip/dir/example.html

cp example.com index.html

vim /etc/httpd/conf/httpd.conf

NameVirtualHost 192.168.0.254:80

<VirtualHost 192.168.0.254:80>

DocumentRoot /var/www/html/

ServerName station.domain40.example.com

</VirtualHost>

NEW QUESTION 10

Find the rows that contain abode from file /etc/testfile, and write it to the file/tmp/testfile, and the sequence is requested as the same as /etc/testfile.

A. Mastered

B. Not Mastered

Answer: A

Explanation:

cat /etc/testfile | while read line;

echo \$line | grep abcde | tee -a /tmp/testfile

done

OR

grep `abcde' /etc/testfile > /tmp/testfile

NEW QUESTION 10

Configure the system synchronous as 172.24.40.10.

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Graphical Interfaces:

System-->Administration-->Date & Time

system-config-date

NEW QUESTION 12

Configure your web services, download from http://instructor.example.com/pub/serverX.html And the services must be still running after system rebooting.

A. Mastered

B. Not Mastered

Answer: A

Explanation:

cd /var/www/html

http://instructor.example.com/pub/serverX.html mv serverX.html index.html /etc/init.d/httpd restart chkconfig httpd on

NEW QUESTION 13

Create a new logical volume according to the following requirements:

The logical volume is named database and belongs to the datastore volume group and has a size of 50 extents. Logical volumes in the datastore volume group should have an extent size of 16 MB.

Format the new logical volume with a ext3 filesystem.

The logical volume should be automatically mounted under /mnt/database at system boot time.

A. Mastered

B. Not Mastered

Answer: A

Explanation:

fdisk -cu /dev/vda partx -a /dev/vda pvcreate /dev/vdax vgcreate datastore /dev/vdax -s 16M lvcreate-I 50 -n database datastore

mkfs.ext3 /dev/datastore/database

mkdir /mnt/database

mount /dev/datastore/database /mnt/database/ df -Th

vi /etc/fstab



/dev/datastore /database /mnt/database/ ext3 defaults 0 0 mount -a

NEW QUESTION 17

According the following requirements, configure autofs service and automatically mount to user's home directory in the Idap domain.

- Instructor.example.com (192.168.0.254) has shared /home/guests/ldapuserX home directory to your system by over NFS export, X is your hostname number.
- LdapuserX's home directory is exist in the instructor.example.com: /home/ guests/ldapuserX
- LdapuserX's home directory must be able to automatically mount to /home/ guests/ldapuserX in your system.
- Home directory have write permissions for the corresponding user.

However, you can log on to the Idapuser1 - Idapuser99 users after verification. But you can only get your corresponding Idapuser users. If your system's hostname is server1.example.com, you can only get Idapuser1's home directory.

A. Mastered

B. Not Mastered

Answer: A

Explanation:

(1)find /etc -size 10k -exec cp {} /tmp/findfiles \;
(2)find / -user lucy -exec cp -a {} /tmp/findfiles \;

Note: If find users and permissions, you need to use cp - a options, to keep file permissions and user attributes etc.

NEW QUESTION 21

Notes:

NFS NFS instructor.example.com:/var/ftp/pub/rhel6/dvd

A. Mastered

B. Not Mastered

Answer: A

Explanation:

YUM

http://instructor.example.com/pub/rhel6/dvd

Idap http://instructor.example.com/pub/EXAMPLE-CA-CERT Install dialog package.

yum install dialog

NEW QUESTION 24

Your System is configured in 192.168.0.0/24 Network and your nameserver is 192.168.0.254. Make successfully resolve to server1.example.com.

A. Mastered

B. Not Mastered

Answer: A

Explanation:

nameserver is specified in question,

1. Vi /etc/resolv.conf

nameserver 192.168.0.254

2. host server1.example.com

NEW QUESTION 27

Search a String

Find out all the columns that contains the string seismic within /usr/share/dict/words, then copy all these columns to /root/lines.tx in original order, there is no blank line, all columns must be the accurate copy of the original columns.

A. Mastered

B. Not Mastered

Answer: A

Explanation:

grep seismic /usr/share/dict/words> /root/lines.txt

NEW QUESTION 30

Create a Shared Directory.

Create a shared directory /home/admins, make it has the following characteristics:

/home/admins belongs to group adminuser

This directory can be read and written by members of group adminuser Any files created in /home/ admin, group automatically set as adminuser.

A. Mastered

B. Not Mastered

Answer: A

Explanation:

mkdir /home/admins

chgrp -R adminuser /home/admins



chmodg+w /home/admins chmodg+s /home/admins

NEW QUESTION 33

Create a user named alex, and the user id should be 1234, and the password should be alex111.

A. Mastered

B. Not Mastered

Answer: A

Explanation:

useradd -u 1234 alex # passwd alex alex111 alex111 OR echo alex111|passwd -stdin alex

NEW QUESTION 34

Open kmcrl value of 5, and can verify in /proc/ cmdline

A. MasteredB. Not Mastered

Answer: A

Explanation:

see explanation below.
vim /boot/grub/grub.conf
kernel/vmlinuz-2.6.32-71.el6.x86_64 ro root=/dev/mapper/GLSvg-GLSrootrd_LVM_LV=GLSvg/GLSroot
rd_LVM_LV=GLSvg/GLSswaprd_NO_LUKSrd_NO_MDrd_NO_DM
LANG=en_US.UTF-8 SYSFONT=latarcyrheb-sun16 KEYBOARDTYPE=pc KEYTABLE=us crashkernel=auto rhgb quiet kmcrl=5
Restart to take effect and verification:
cat /proc/cmdline

ro root=/dev/mapper/GLSvg-GLSroot rd_LVM_LV=GLSvg/GLSroot rd_LVM_LV=GLSvg/GLSswap rd_NO_LUKS rd_NO_MD rd_NO_DM LANG=en_US.UTF-8 SYSFONT=latarcyrheb-sun16 KEYBOARDTYPE=pc KEYTABLE=us rhgb quiet kmcrl=5

NEW QUESTION 39

Configure the NTP service in your system.


A. MasteredB. Not Mastered

Answer: A

Explanation:

see explanation below. Explanation: system-config-date &





NEW QUESTION 41

Create a volume group, and set the size is 500M, the size of single PE is 16M. Create logical volume named Iv0 in this volume group, set size is 20 PE, make it as ext3 file system, and mounted automatically under data.

A. Mastered

B. Not Mastered

Answer: A

Explanation:

fdisk /dev/vda
pvcreate /dev/vda3
vgcreate —s 16M vg0 /dev/vda3
lvcreate —n lv0 —l 20 vg0
mkfs.ext3 /dev/mapper/vg0-lv0
mkdir /data
/etc/fstab:
/dev/mapper/vg0-lv0 /data ext3 defaults 0 0
mount —a
mount | grep data

NEW QUESTION 42

The system Idap.example.com provides an LDAP authentication service. Your system should bind to this service as follows:

The base DN for the authentication service is dc=domain11, dc=example, dc=com LDAP is used to provide both account information and authentication information. The connection should be encrypted using the certificate at http://host.domain11.example.com/pub/domain11.crt

When properly configured, IdapuserX should be able to log into your system, but will not have a home directory until you have completed the autofs requirement.

Username: Idapuser11 Password: password

A. MasteredB. Not Mastered

Answer: A



Explanation:

system-config-authentication LDAP user DN=dc=domain11,dc=example,dc=com Server= host.domain11.example.com

http://host.domain11.example.com/pub/domain11.crt (enter url carefully, there maybe // or ..) LDAP password

OK

starting sssd

Starting SSS

su -ldapuser11 Display Bash prompt #exit

NEW QUESTION 43

Copy /etc/fstab document to /var/TMP directory. According the following requirements to configure the permission of this document.

- The owner of this document must be root.
- This document belongs to root group.
- User mary have read and write permissions for this document.
- User alice have read and execute permissions for this document.
- Create user named bob, set uid is 1000. Bob have read and write permissions for this document.
- All users has read permission for this document in the system.

A. Mastered

B. Not Mastered

Answer: A

Explanation:

cp /etc/fstab /var/tmp chown root:root /var/tmp/fstab chmod a-x /var/tmp/fstab setfacl –m u:mary:rw /var/tmp/fstab setfacl –m u:alice:rx /var/tmp/fstab useradd –u 1000 bob

NEW QUESTION 47

Search files.

Find out files owned by jack, and copy them to directory /root/findresults

A. Mastered

B. Not Mastered

Answer: A

Explanation:

mkdir/root/findfiles

find / -user jack -exec cp -a {} /root/findfiles/ \; Is /root/findresults

NEW QUESTION 50

One Logical Volume named /dev/test0/testvolume1 is created. The initial Size of that disk is 100MB now you required more 200MB. Increase the size of Logical Volume, size should be increase on online.

A. Mastered

B. Not Mastered

Answer: A

Explanation:

lvextend -L+200M /dev/test0/testvolume1 Use lvdisplay /dev/test0/testvolume1)

ext2online -d /dev/test0/testvolume1

Ivextend command is used the increase the size of Logical Volume. Other command Ivresize command also here to resize. And to bring increased size on online we use the ext2online command.

NEW QUESTION 52

One Logical Volume named Iv1 is created under vg0. The Initial Size of that Logical Volume is 100MB. Now you required the size 500MB. Make successfully the size of that Logical Volume 500M without losing any data. As well as size should be increased online.

A. Mastered

B. Not Mastered

Answer: A

Explanation:

The LVM system organizes hard disks into Logical Volume (LV) groups. Essentially, physical hard disk partitions (or possibly RAID arrays) are set up in a bunch of equal sized chunks known as Physical Extents (PE). As there are several other concepts associated with the LVM system, let's start with some basic definitions: Physical Volume (PV) is the standard partition that you add to the LVM mix. Normally, a physical volume is a standard primary or logical partition. It can also be a RAID array.

Physical Extent (PE) is a chunk of disk space. Every PV is divided into a number of equal sized PEs. Every PE in a LV group is the same size. Different LV groups



can have different sized PEs.

Logical Extent (LE) is also a chunk of disk space. Every LE is mapped to a specific PE.

Logical Volume (LV) is composed of a group of LEs. You can mount a file system such as /home and /var on an LV.

Volume Group (VG) is composed of a group of LVs. It is the organizational group for LVM. Most of the commands that you'll use apply to a specific VG.

- Verify the size of Logical Volume: lvdisplay /dev/vg0/lv1
- Verify the Size on mounted directory: df -h or df -h mounted directory name
- Use: Ivextend -L+400M /dev/vg0/lv1
- ext2online -d /dev/vg0/lv1 to bring extended size online.
- Again Verify using Ivdisplay and df -h command.

NEW QUESTION 57

Your System is going use as a router for 172.24.0.0/16 and 172.25.0.0/16. Enable the IP Forwarding.

- 1. echo "1" >/proc/sys/net/ipv4/ip_forward
- 2. vi /etc/sysctl.conf net.ipv4.ip_forward=1
- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/proc is the virtual filesystem, containing the information about the running kernel.

To change the parameter of running kernel you should modify on /proc. From Next reboot the system, kernel will take the value from /etc/sysctl.conf.

NEW QUESTION 61

Create a user alex with a userid of 3400. The password for this user should be redhat.

A. Mastered

B. Not Mastered

Answer: A

Explanation:

useradd -u 3400 alex

passwd alex

u -alex

NEW QUESTION 65

One Domain RHCE is configured in your lab, your domain server is server1.example.com. nisuser2001, nisuser2002, nisuser2003 user are created on your server 192.168.0.254:/rhome/stationx/nisuser2001. Make sure that when NIS user login in your system automatically mount the home directory. Home directory is separately shared on server /rhome/stationx/ where x is your Station number.

A. Mastered

B. Not Mastered

Answer: A

Explanation:

use the authconfig --nisserver=<NIS SERVER> --nisdomain=<NIS DOMAIN> -- update

Example: authconfig --niserver=192.168.0.254 --nisdomain=RHCE --update or system-config-authentication

Click on Enable NIS

Type the NIS Domain: RHCE

Type Server 192.168.0.254 then click on next and ok

You will get a ok message.

Create a Directory /rhome/stationx where x is your station number.

vi /etc/auto.master and write at the end of file /rhome/stationx /etc/auto.home --timeout=60

vi /etc/auto.home and write

* -rw,soft,intr 192.168.0.254:/rhome/stationx/&

Note: please specify your station number in the place of x.

Service autofs restart

Login as the nisuser2001 or nisuser2002 on another terminal will be Success. According to question, RHCE domain is already configured. We have to make a client of RHCE domain and automatically mount the home directory on your system. To make a member of domain, we use the authconfig with option or system-config authentication command. There a are lots of authentication server i.e NIS, LDAB, SMB etc. NIS is a RPC related Services, no need to configure the DNS, we should specify the NIS server address.

Here Automount feature is available. When user tried to login, home directory will automatically mount. The automount service used the /etc/auto.master file. On /etc/auto.master file we specified the mount point the configuration file for mount point.



NEW QUESTION 69

• • • • • • •



Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your EX200 Exam with Our Prep Materials Via below:

https://www.certleader.com/EX200-dumps.html